

# 20 October 2022 / Number 41

## ( 10/10 ~ 10/16 )

### Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report  
All physicians must report to health centers the incidence of the diseases  
which are shown at page one. Health centers electronically report the  
individual cases to Tokyo Metropolitan Infectious Disease Surveillance  
Center.

The infectious diseases required to be reported by the sentinels  
The numbers of patients who visit the sentinel clinics or hospitals during a  
week are reported to health centers in Tokyo. And they electronically  
report the numbers to Tokyo Metropolitan Infectious Disease Surveillance  
Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		38th	39th	40th	41st	Cum 2022	41st	Cum 2022
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	29	42	28	29	1,572	187	11,469
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera						1	1
	Shigellosis						2	14
	Enterohemorrhagic Escherichia coli infection	8	10	12	4	308	50	2,795
	Typhoid fever			1		6		13
	Paratyphoid fever			1		3		8
IV	Hepatitis E	1	5		1	106	7	347
	West Nile fever							
	Hepatitis A		1			5		60
	Echinococcosis					3		17
	Yellow fever							
	Psittacosis	1				2		9
	Omsk hemorrhagic fever							
	Relapsing fever							17
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							1
	Monkeypox	1	1	1		5		6
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome					1	1	106
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever					1		5
	Scrub typhus(Tsutsugamushi disease)					3	1	104
	Dengue fever	2	1	1	1	13	4	66
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						30	371
	Japanese encephalitis							2
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							1
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism					1		1
	Malaria		2			6	1	21
	Tularemia							
	Lyme disease					2		13
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							2
	Legionellosis	3	4	5	1	92	42	1,751
	Leptospirosis	1	1			4	3	34
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		38th	39th	40th	41st	Cum 2022	41st	Cum 2022
V	Amebiasis	1	3	2	1	100	5	424
	Viral hepatitis(excluding hepatitis A and E)			1	1	29		155
	CRE infection	2	4	6	3	163	32	1,455
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)		1			1	1	22
	Acute encephalitis(excluding JE and WNE)	1	1	1		27	5	299
	Cryptosporidiosis					2		6
	Creutzfeldt-Jakob disease			1		16	1	134
	Severe invasive streptococcal infections(TSLS)				1	82	11	574
	Acquired immunodeficiency syndrome (AIDS)	5	7	5	5	221	7	687
	Giardiasis					11		30
	Invasive <i>Haemophilus influenzae</i> disease					13	3	136
	Invasive meningococcal disease							5
	Invasive pneumococcal disease	1		1	1	107	15	939
	Varicella (limited to hospitalized case)	2	1	1		37	4	248
	Congenital rubella syndrome							
	Syphilis	62	55	76	69	2,813	132	9,861
	Disseminated cryptococcosis	1				13	2	117
	Tetanus					4	3	84
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection					5	2	116
	Pertussis	2	2	1	1	42	5	368
	Rubella					2		11
	Measles							6
	MDRA infection					2		11







Number of patients with the diseases to be reported  
by the designated clinics and hospitals






Diseases	Tokyo				
	38th	39th	40th	41st	/sentinel
Respiratory syncytial virus infection	403	340	299	228	0.89
Pharyngoconjunctival fever	3	9	11	11	0.04
Group A streptococcal pharyngitis	44	55	36	29	0.11
Infectious gastroenteritis	449	587	633	675	2.64
Chickenpox	11	13	19	10	0.04
Hand, foot, and mouth disease	772	765	517	337	1.32
Erythema infectiosum	4	2			
Exanthem subitum	49	63	50	50	0.20
Herpangina	148	179	96	76	0.30
Mumps	10	14	7	6	0.02
Kawasaki disease	2	3	3	3	0.01
Cold with exanthems	2	9	11	4	0.02
Influenza	7	5	2	2	0.00
Acute hemorrhagic conjunctivitis					
Epidemic keratoconjunctivitis	5	6	2	6	0.16
Bacterial meningitis				1	0.04
Aseptic meningitis	1				
Mycoplasma pneumonia		1			
Chlamydial pneumonia (excluding psittacosis)	2		1		
Infectious gastroenteritis (only by Rotavirus)					
Influenza-Associated Hospitalizations				1	0.04





( Blank means 0. )

### Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	256
Influenza	419	406
Ophthalmic	39	38
Specially-designated	25	25