

6 April 2023 / Number 13
(3/27 ~ 4/2)

Surveillance System in Tokyo, Japan

The infectious diseases which all physicians must report
All physicians must report to health centers the incidence of the diseases
which are shown at page one. Health centers electronically report the
individual cases to Tokyo Metropolitan Infectious Disease Surveillance
Center.

The infectious diseases required to be reported by the sentinels
The numbers of patients who visit the sentinel clinics or hospitals during a
week are reported to health centers in Tokyo. And they electronically
report the numbers to Tokyo Metropolitan Infectious Disease Surveillance
Center. We have about 500 sentinel clinics and hospitals in Tokyo.

Number of patients with the diseases which all physicians must report

Category	Diseases	Tokyo					Japan	
		10th	11th	12th	13th	Cum 2023	13th	Cum 2023
I	Ebola hemorrhagic fever							
	Crimean-Congo hemorrhagic fever							
	Smallpox							
	South American hemorrhagic fever							
	Plague							
	Marburg disease							
	Lassa fever							
II	Acute poliomyelitis							
	Tuberculosis	36	32	33	35	444	203	3,043
	Diphtheria							
	Severe Acute Respiratory Syndrome(SARS)							
	Middle East Respiratory Syndrome (MERS)							
	Avian influenza H5N1							
	Avian influenza H7N9							
III	Cholera						1	1
	Shigellosis		1			2	1	7
	Enterohemorrhagic Escherichia coli infection	3	2	1	2	27	28	243
	Typhoid fever					2		13
	Paratyphoid fever					1		5
IV	Hepatitis E	3	8	5	7	63	14	149
	West Nile fever							
	Hepatitis A					3		17
	Echinococcosis							3
	Yellow fever							
	Psittacosis							2
	Omsk hemorrhagic fever							
	Relapsing fever							1
	Kyasanur forest disease							
	Q fever							
	Rabies							
	Coccidioidomycosis							
	Monkeypox	14	10	13	13	71	14	86
	Zika virus infection							
	Severe Fever with Thrombocytopenia Syndrome						2	14
	Hemorrhagic fever with renal syndrome							
	Western equine encephalitis							
	Tick-borne encephalitis							
	Anthrax							
	Chikungunya fever							1
	Scrub typhus(Tsutsugamushi disease)					4	1	50
	Dengue fever	1			2	5	3	15
	Eastern equine encephalitis							
	Avian influenza (excluding H5N1 and H7N9)							
	Nipah virus infection							
	Japanese spotted fever						1	7
	Japanese encephalitis							
	Hantavirus pulmonary syndrome							
	Herpes B virus infection							
	Glanders							
	Brucellosis							
	Venezuelan equine encephalitis							
	Hendra virus infection							
	Epidemic typhus							
	Botulism							
	Malaria					3	1	5
	Tularemia							
	Lyme disease							
	Lyssavirus infection(excluding rabies)							
	Rift valley fever							
	Melioidosis							
	Legionellosis	3	2	2	4	33	17	318
	Leptospirosis							2
	Rocky mountain spotted fever							







Category	Diseases	Tokyo					Japan	
		10th	11th	12th	13th	Cum 2023	13th	Cum 2023
V	Amebiasis	2	7		2	19	7	129
	Viral hepatitis(excluding hepatitis A and E)	2	4	2		14	3	60
	CRE infection	4	7	3		54	17	427
	Acute Flaccid Paralysis (excluding Acute poliomyelitis)					1	1	12
	Acute encephalitis(excluding JE and WNE)	1		1		8	4	105
	Cryptosporidiosis							1
	Creutzfeldt-Jakob disease					1	2	32
	Severe invasive streptococcal infections(TSLS)	4	2	1	3	31	18	221
	Acquired immunodeficiency syndrome (AIDS)	5	6	7	2	72	13	217
	Giardiasis				1	2		13
	Invasive <i>Haemophilus influenzae</i> disease		1	1	2	7	4	68
	Invasive meningococcal disease							4
	Invasive pneumococcal disease	1	4	2	5	43	25	434
	Varicella (limited to hospitalized case)	1	2	2	1	13	6	75
	Congenital rubella syndrome							
	Syphilis	73	85	64	86	944	203	3,480
	Disseminated cryptococcosis	1				6		46
	Tetanus						1	13
	Vancomycin-resistant <i>S. aureus</i> infection							
	Vancomycin-resistant Enterococcus infection	1	1	2		6	1	43
	Pertussis			1	1	15	18	146
	Rubella							1
	Measles					1	1	2
	MDRA infection							5







Number of patients with the diseases to be reported
by the designated clinics and hospitals






Diseases	Tokyo				
	10th	11th	12th	13th	/sentinel
Respiratory syncytial virus infection	26	39	37	44	0.17
Pharyngoconjunctival fever	42	22	29	44	0.17
Group A streptococcal pharyngitis	103	100	93	88	0.34
Infectious gastroenteritis	1,372	1,278	1,049	895	3.47
Chickenpox	13	37	20	29	0.11
Hand, foot, and mouth disease	5	11	6	7	0.03
Erythema infectiosum	4	2	3	2	0.01
Exanthem subitum	47	61	59	66	0.26
Herpangina	2	3	2	5	0.02
Mumps	4	9	7	10	0.04
Kawasaki disease	3	1	1	3	0.01
Cold with exanthems	5	5	8	9	0.03
Influenza	4,291	3,158	2,144	1,469	3.56
Acute hemorrhagic conjunctivitis				2	
Epidemic keratoconjunctivitis	3	6	6	7	0.18
Bacterial meningitis	2	1			
Aseptic meningitis	2	1	1		
Mycoplasma pneumonia				1	
Chlamydial pneumonia (excluding psittacosis)					
Infectious gastroenteritis (only by Rotavirus)	2				
Influenza-Associated Hospitalizations	19	12	13	5	0.20





(Blank means 0.)

Disease Trend Graph (weekly reported cases per sentinel in comparison)









Number of sentinel facilities for weekly reporting		
Types of sentinels	Number of sentinels	Sentinels having reported
Pediatric	264	258
Influenza	419	413
Ophthalmic	39	38
Specially-designated	25	25